

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5. FIRE-FIGHTING MEASURES**EXTINGUISHING MEDIA**

Use: Alcohol resistant foam. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

UNUSUAL FIRE & EXPLOSION HAZARDS

May travel considerable distance to source of ignition and flash back.

6. ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS**

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush area with water.

7. HANDLING & STORAGE**USAGE PRECAUTIONS**

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Risk of vapour concentration on the floor and in low-lying areas. Static electricity and formation of sparks must be prevented.

STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place.

STORAGE CLASS

Flammable liquid storage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Name	Std	8h TWA		STEL	
METHANOL	WEL (skin)	200 ppm	260 mg/m ³	250 ppm	310 mg/m ³
ETHANOL	WEL	1000 ppm	1900 mg/m ³		
HYDROCHLORIC ACID	WEL		1 ppm		2 ppm

WEL – Workplace Exposure Limit; 8h TWA – 8-hour Time-Weighted Average; STEL – Short-Term EL.

PROTECTIVE EQUIPMENT**ENGINEERING MEASURES**

Well-ventilated area. Provide explosion proof ventilation for high concentrations.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

Wear approved, tight fitting safety glasses where splashing is probable.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colourless Liquid
ODOUR	Odour of alcohol
SOLUBILITY	Soluble in water.
BOILING POINT	~ 78°C 760 mm Hg
RELATIVE DENSITY	~ 0.8 @ 20°C
FLASH POINT	~ 13°C

10. STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidisers.

11. TOXICOLOGICAL INFORMATION

INHALATION

No specific health warnings noted.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged or repeated exposure may cause irritation.

EYE CONTACT

Prolonged contact may cause transient eye irritation.

12. ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION



RID / ADR

UN#	1170
Class	3
PG	II
Proper shipping name:	Ethanol Solution

IMDG

UN#	1170
Class	3
PG	II
Proper shipping name:	Ethanol Solution
Marine Pollutant:	No

IATA

UN#	1170
Class	3
PG	II
Proper shipping name:	Ethanol Solution

15. REGULATORY INFORMATION

LABELLING



Highly Flammable



Harmful

RISK PHRASES

R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R68/20/21/22	Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed
R36/38	Irritating to eyes and skin

SAFETY PHRASES

S1/2	Keep locked up and out of the reach of children
S7	Keep container tightly closed
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S28	After contact with skin, wash immediately with plenty of water
S16	Keep away from sources of ignition - No smoking
S36/37	Wear suitable protective clothing and gloves
S45	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

STATUTORY INSTRUMENTS

Control of Substances Hazardous to Health. Chemicals (Hazard Information and Packaging) Regulations.

GUIDANCE NOTES

CHIP for everyone HSG(108). Workplace Exposure Limits EH40.

16. OTHER INFORMATION**GENERAL INFORMATION**

This safety data sheet covers all codes for this product.

REVISION COMMENTS

Methanol limits adjusted.

R & S phrases amended.

REVISION DATE

06-2008

REV. NO./REPL. SDS GENERATED

3 / 09-2006

RISK PHRASES IN FULL

R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R68/20/21/22	Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed
R34	Causes burns
R36/38	Irritating to eyes and skin
R37	Irritating to respiratory system